Basic Tactical Medical Training Program Practical EAB/PTD-030 (02/18) Exercise (LP 8016)	
Student Name:	Class #: Date:
(Signature of Student)	PE: PASS / FAIL REMEDIAL: PASS / FAIL
(Evaluator- Print Name)	
Grading: The student must accomplish ALL tasks under each objective to PASS the PE. Any task not accomplished must have a written explanation.	
MEDICAL THREAT ASSESSMENT (PTD-00008) Pass Fail	
3 Phases of TCCC (Hot, Warm ,Cold Zones)	Need for an Individual First Aid Kit (Self-aid, Buddy-aid,)
Preventable Causes of Death (Extremity Hemorrhage, Tension Pneumothorax, Airway)	MARCH Mnemonic (Massive Hemorrhage, Airway, Respirations, Circulation, Hypothermia)
CARE UNDER FIRE (PTD-00076)	
Remote Assessment (Threat? Casualty alive/dead? Injuries? Cover? Self-aid? Recovery of casualty's weapon?)	CAT Tourniquet (Placement high on the extremity and tight enough to stop the flow of blood)
Massive Extremity Bleeding Control (Bright red spurting blood, Direct Pressure)	Ways to make an Improvised Tourniquet (Strap, Stick, Some way to lock in place)
SOFT-TW Tourniquet (Placement high on the extremity and tight enough to stop the flow of blood)	Improvised Tourniquet with Triangle Bandage and PVC stick (Placement high on the extremity and tight enough to stop the flow of blood)
TACTICAL FIELD CARE (PTD-00008) Pass Fail	
Airway Assessment (Conscious/Unconscious)	Improvised Chest Seal (Plastic and taped, 3 sides taped versus 4 sides taped)
Head Tilt Chin Lift (No spinal injury)	Circulation Assessment (Bleeding in areas not amendable to tourniquet use)
Jaw Thrust (Suspected spinal injury)	Traditional Gauze (Direct pressure and application of gauze on source of bleeding, More gauze and more pressure if bleeding continues)
Recovery Position (Injured side down, Arm/Leg Straight, Top side elbow bent, Hand under jaw, Knee bent)	Hemostatic Gauze (Direct pressure and application of gauze on source of bleeding, Hold pressure for 3 minutes, Replace hemostatic gauze with new hemostatic gauze if bleeding continues)
NPA Insertion (Lubricate, Bevel to septum, Facial trauma)	Pressure Dressing (Gauze/Wrap/Tensioning Device, Applied directly over wound, Wrap around injury and through tension device, Secure in place)
Skin Rake (Fingers spread apart, Raking motion searching causality for any wounds starting with extremities)	Hypothermia in relation to traumatic shock (Drop in temperature due to injuries and fluid loss)
Respiratory Assessment (Difficulty breathing, Crushing pain in chest, Unequal rise and fall of the chest)	Remove from Element/Wet Clothing
Open "Sucking" Chest Wound (Hole in the torso between the throat and belly button, Air exchange out of the hole, Minimal bleeding with frothy blood at wound site)	Utilize hot packs if available (Neck, Armpits, Groin, Knees)
Manufactured Chest Seal (Vented versus Non-vented)	Layer Causality (Ground barrier, Wrap the core with Mylar blanket, Outer barrier to protect from the elements)
TACTICAL EVACUATION CARE (PTD-00028) Pass Fail	
3-2-1 Officer methods of causality evacuation (For Drags, Carries, and Vehicle Loads)	1 LEO Drag or Assisted Carry
COMMENTS:	